according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Revision Date 28.06.2016 Print Date 29.06.2016 Version 1.1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Lub FOOD

Article-No. : 096017

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

NTN-SNR ROULEMENTS 1, rue des Usines - BP 2017 74000 ANNECY FRANCE

Tél: +33 (0)4 50 65 30 00 Fax: +33 (0)4 50 65 32 91

E-mail address fds@ntn-snr.fr

Responsible/issuing person

Service Laboratoire NTN-SNR Roulements

Tel. urgence (Heure bureau): +33 (0)4 50 65 97 55

1.4 Emergency telephone number Emergency Tel.(France) ORFILA (INRS): +33 (0)1 45 42 59 59

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting

effects

R51/53: Toxic to aquatic organisms, may Classification (67/548/EEC, 1999/45/EC)

cause. long-term adverse effects in the

Dangerous for the environment aquatic environment

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : **Prevention**:

P273 Avoid release to the environment.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.

aluminium complex soap

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5 202-414-9	Xn; R22-R48/22 C; R34 N; R50/53	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 1
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8 203-749-3 / 01- 2119488991- 20-XXXX	Xn; R20 Xi; R38-R41 N; R50	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 0.25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 / 01- 2119555270- 46-XXXX	N; R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

4. First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

In case of contact, immediately flush skin with plenty of water.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

nedia

: High volume water jet

5.2 Special hazards arising from the substance or mixture

J

Specific hazards during : Fire may cause evolution of: Carbon oxides

Metal oxides



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

In the case of respirable dust and/or fumes, use self-contained

breathing apparatus.

Exposure to decomposition products may be a hazard to

health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not ingest.

Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

7.2 Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Requirements for storage areas and containers

: Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

7.3 Specific end use(s)

: Consult the technical guidelines for the use of this

substance/mixture.

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
2,6-di-tert- butyl-p-cresol	128-37-0	TWA	10 mg/m3	2005-04-06	GB EH40
Further information:	2: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				

DNEL

2-(2-heptadec-8-enyl-2-

imidazolin-1-yl)ethanol

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 0.6 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 0.46 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Short-term exposure, Systemic effects

Value: 2 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Short-term exposure, Systemic effects

Value: 14 mg/m3

(Z)-N-methyl-N-(1-oxo-9octadecenyl)glycine

End Use: Industrial use Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 0.2 mg/m3



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

End Use: Industrial use Exposure routes: Inhalation

Potential health effects: Acute systemic effects

Value: 18 mg/m3

End Use: Industrial use Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 0.01 mg/m3

End Use: Industrial use Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 18 mg/m3

End Use: Industrial use Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 10 mg/kg

End Use: Industrial use Exposure routes: Skin contact

Potential health effects: Acute systemic effects

Value: 100 mg/kg

2,6-di-tert-butyl-p-cresol : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 3.5 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 0.5 mg/kg

PNEC

2-(2-heptadec-8-enyl-2-

imidazolin-1-yl)ethanol

: Fresh water

Value: 0.00003 mg/l

Marine water

Value: 0.000003 mg/l

Fresh water sediment Value: 0.376 mg/kg

Marine sediment Value: 0.0376 mg/kg

Soil

Value: 0.075 mg/kg

(Z)-N-methyl-N-(1-oxo-9-

octadecenyl)glycine

: Fresh water

Value: 0.00043 mg/l

Marine water

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Value: 0.000043 mg/l

Intermittent use/release Value: 0.0043 mg/l

Microbiological Activity in Sewage Treatment Systems

Value: 13 mg/l

2,6-di-tert-butyl-p-cresol : Fresh water

Value: 0.199 μg/l

Marine water Value: 0.0199 μg/l

Intermittent use/release

Value: 1.99 μg/l

Microbiological Activity in Sewage Treatment Systems

Value: 0.17 mg/l

Fresh water sediment Value: 0.0996 mg/kg

Marine sediment Value: 0.00996 mg/kg

Soil

Value: 0.04769 mg/kg

Oral

Value: 8.33 mg/kg

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type P

Hand protection : For prolonged or repeated contact use protective gloves.

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has

to be measured for each case.
In case of contact through splashing:

: Nitrile rubber

Protective index Class 1

Eye protection : Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Environmental exposure controls

General advice : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : < 0.001 hPa, 20 °C

Relative vapour density : No data available

Density : 0.92 g/cm3, 20 °C

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available
Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Explosive properties : Not explosive

Oxidizing properties No data available

9.2 Other information

Sublimation point : No data available Bulk density No data available

10. Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : This information is not available. : This information is not available. Acute inhalation toxicity Acute dermal toxicity : This information is not available. Skin corrosion/irritation : This information is not available. Serious eye damage/eye : This information is not available.

irritation

Respiratory or skin

sensitisation

: This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro : No data available Genotoxicity in vivo : No data available Carcinogenicity : No data available

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Reproductive toxicity : No data available
Teratogenicity : No data available

Repeated dose toxicity : This information is not available.

Aspiration toxicity : This information is not available.

Further information : Information given is based on data on the components and

the toxicology of similar products.

Components:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Acute oral toxicity : LD50: 1,265 mg/kg, Rat, OECD Test Guideline 401, GLP: yes

Acute dermal toxicity : LD50: > 2,000 mg/kg, Rabbit, The substance or mixture has

no acute dermal toxicity

Skin corrosion/irritation : Rabbit, Result: Corrosive, category 1C - where responses

occur after exposures between 1 hour and 4 hours and observations up to 14 days., OECD Test Guideline 404, GLP:

yes

Serious eye damage/eye

irritation

: Rabbit, Result: Corrosive, Classification: Corrosive, OECD

Test Guideline 405

Respiratory or skin

sensitisation

: Guinea pig, Result: Does not cause skin sensitisation.,

Classification: Does not cause skin sensitisation., OECD Test

Guideline 406

Germ cell mutagenicity

Assessment : Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Repeated dose toxicity : Rat, Oral, 100 mg/kg, NOAEL: 20 mg/kg

STOT - repeated exposure : Exposure routes: Ingestion

Target Organs: Digestive organs, thymus gland

Assessment: May cause damage to organs through prolonged

or repeated exposure.

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Acute oral toxicity : LD50: 9,200 mg/kg, Rat

Acute inhalation toxicity : LC50: 1.37 mg/l, 4 h, Rat, dust/mist

Skin corrosion/irritation : Rabbit, Result: Irritating to skin., Classification: Irritating to

skin., OECD Test Guideline 404

Serious eye damage/eye

irritation

: Rabbit, Result: Risk of serious damage to eyes.,

Classification: Risk of serious damage to eyes., OECD Test

Guideline 405

Respiratory or skin

sensitisation

: Maximisation Test (GPMT), Guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin

sensitisation., OECD Test Guideline 406

Germ cell mutagenicity

Assessment : Tests on bacterial or mammalian cell cultures did not show

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

mutagenic effects.

Aspiration toxicity : No aspiration toxicity classification

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50: > 5,000 mg/kg, Rat, OECD Test Guideline 401

Acute dermal toxicity : LD50: > 5,000 mg/kg, Rat, OECD Test Guideline 402

Skin corrosion/irritation : Rabbit, Result: No skin irritation, Classification: No skin

irritation

Serious eye damage/eye

irritation

Rabbit, Result: No eye irritation, Classification: No eye

irritation

Respiratory or skin

sensitisation

: Guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro : Ames test, Result: negative, In vitro tests did not show

mutagenic effects

Genotoxicity in vivo : In vivo micronucleus test, Result: negative

Assessment : In vivo tests did not show mutagenic effects

Reproductive toxicity : Rat, NOAEL: 100 mg/kg

Assessment: No toxicity to reproduction

STOT - single exposure : Assessment: The substance or mixture is not classified as

specific target organ toxicant, single exposure.

STOT - repeated exposure : Assessment: The substance or mixture is not classified as

specific target organ toxicant, repeated exposure.

Aspiration toxicity : No aspiration toxicity classification

12. Ecological information

12.1 Toxicity

Product:

Toxicity to fish

Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Toxicity to daphnia and other

aquatic invertebrates

No data available

Toxicity to algae

No data available

Toxicity to bacteria

No data available



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Components:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Toxicity to fish : LC50: 0.3 mg/l, 96 h, Danio rerio (zebra fish), static test,

OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 0.136 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD Test Guideline 202, GLP: yes

Toxicity to algae : ErC50: 0.03 mg/l, 72 h, Desmodesmus subspicatus (green

algae), Growth inhibition, OECD Test Guideline 201

M-Factor : 10

Toxicity to bacteria : EC50: 26 mg/l, 3 h, activated sludge, Respiration inhibition,

OECD 209

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Toxicity to fish : LC50: 3.2 - 4.6 mg/l, 96 h, Leuciscus idus (Golden orfe), static

test, DIN 38412

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 0.53 mg/l, 48 h, Daphnia magna (Water flea), static

test, Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae : EC50: 5.1 mg/l, 72 h, Desmodesmus subspicatus (green

algae), Growth inhibition, Directive 67/548/EEC, Annex V,

C.3.

M-Factor : 1

Toxicity to bacteria : EC50: 1,300 mg/l, 3 h, Bacteria, Respiration inhibition, OECD

209, GLP: yes

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50: > 0.57 mg/l, 96 h, Danio rerio (zebra fish), OECD Test

Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50: > 0.17 mg/l, 48 h, Daphnia magna (Water flea)

Toxicity to algae : EC50: > 0.42 mg/l, 72 h, Desmodesmus subspicatus

(green algae)

M-Factor :

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

NOEC: > 0.39 mg/l, 21 d, Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

Biodegradability

No data available

Physico-chemical : No data available

removability **Components:**



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Biodegradability : Primary biodegradation, Result: Not rapidly biodegradable,

OECD 301 B

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Biodegradability : aerobic, 85 %, Result: rapidly biodegradable, Exposure time:

28 d, activated sludge, OECD 301 B

2,6-di-tert-butyl-p-cresol:

Biodegradability : aerobic, 4.5 %, Result: Not rapidly biodegradable, Exposure

time: 28 d, activated sludge, OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and

very bioaccumulating (vPvB).

Components:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 371.8,

Does not accumulate in organisms.

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Bioaccumulation :

Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): 598.4

12.4 Mobility in soil

Product:

Mobility : No data available Distribution among : No data available

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance, Non-classified vPvB substance

12.6 Other adverse effects

Product:

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

Additional ecological

information

: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

: Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with

the local regulations.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1 Revision Date 28.06.2016 Print Date 29.06.2016

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation

(Article 59).

: This product does not contain substances of very high

concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard

Legislation

: 96/82/EC Update:

Dangerous for the environment

9b

Quantity 1: 200 t Quantity 2: 500 t

15.2 Chemical Safety Assessment

This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R20 Harmful by inhalation.
R22 Harmful if swallowed.
R34 Causes burns.
R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if

swallowed.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

according to Regulation (EC) No. 1907/2006 - GB



NTN-SNR LUB FOOD

Version 1.1	Revision Date 28.06.2016	Print Date 29.06.2016
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H373	May cause damage to organs through prolonged or	repeated exposure
	if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Further information

This safety datasheet applies only to products originally packaged and labelled by NTN-SNR. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of NTN-SNR. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. NTN-SNR provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. NTN-SNR provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.