

Product : LUB HEAVY DUTY +

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or LUB HEAVY DUTY +

designation of the mixture

Registration number -

Synonyms None.

Product code C31009-NTN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesLubricant greaseUses advised againstNot available.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name NTN-SNR ROULEMENTS

Address 1, rue des Usines

BP 2017 74000 ANNECY

FR

Division

Telephone Tel.: +33 (0)4 50 65 30 00

Emergency Tel. (France)

Fax: +33 (0)4 50 65 32 91

e-mail fds@ntn-snr.fr

Contact person Service Laboratoire NTN-SNR Roulements

1.4. Emergency telephone

number

Emergency Tel. (Office hours) +33 (0)4 50 65 97 55

ORFILA (INRS) + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture is not classified as hazardous according to the criteria for classification of the Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Not available.

Supplemental label EUH208 - Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an

information allergic reaction. EUH210 - Safety data sheet available on request.



Product: LUB HEAVY DUTY +

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts Classification: Skin Irrit. 2:	1 - < 3	85940-28-9 288-917-4	01-2119521201-61	-	
Classification. Skill Iffic. 27	пэтэ, суе т	rrit. 2;H319, Aquati	C CHROHIC 2;H411		
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	< 1	N/D 939-603-7	01-2119978241-36-XXXX	-	
Classification: Skin Sens. 1	;H317				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. "-" = Not available or this substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8.

- Contains : Mineral oil

The full text for all H-statements is displayed in section 16. DMSO Extract < 3% according to IF

346 Method.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both

acute and delayed

oth

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

4.3. Indication of any immediate medical attention and special treatment

and special treatment

needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Foam. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to

local circumstances and the surrounding environment.



LUB HEAVY DUTY + Product :

Code: C31009-NTN Version: 2.6 Revision: 14-May-2019

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

See also section 10.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental

precautions

Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Stop the flow of

material, if this is without risk. For waste disposal, see section 13 of the SDS.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

To avoid thermal decomposition, do not overheat. Avoid prolonged or repeated contact with skin. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices. Adequate ventilation should be provided so that exposure limits are not exceeded.

7.2. Conditions for safe storage, including any

incompatibilities

Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store

away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

8.2. Exposure controls

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas.



Product: **LUB HEAVY DUTY +**

Code: C31009-NTN Version: 2.6 Revision: 14-May-2019

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Chemical goggles are recommended. Eye/face protection

Skin protection

- Hand protection Use protective gloves made of: Nitrile. Polyvinyl chloride (PVC).

- Other Normal work clothing (long sleeved shirts and long pants) is recommended. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Solid **Physical state Form** Solid. Paste. Colour Blonde. Odour Oily.

Odour threshold Not available. Not applicable. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point > 200.0 °C (> 392.0 °F) Open cup

Not available.

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

upper (%)

Flammability limit -

Not available. Vapour pressure Vapour density Not available.

0.89 **Relative density**

Relative density temperature 20 °C (68 °F)

Solubility(ies)

Solubility (water) Insoluble. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature > 250 °C (> 482 °F)

Decomposition temperature Not available. Not applicable. **Viscosity**



LUB HEAVY DUTY + Product :

Code: C31009-NTN Version: 2.6 Revision: 14-May-2019

40 °C (104 °F) Viscosity temperature **Explosive properties** Not available. Oxidising properties Not oxidising.

9.2. Other information

190 °C (374 °F) **Dropping point** pH in aqueous solution Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the decomposition temperature. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products Sulphur compounds. At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be

irritating to the eyes, nose, throat, or lungs.

Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea,

and diarrhoea.

Skin corrosion/irritation

Serious eye damage/eye

irritation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified. Germ cell mutagenicity Not classified. Not classified. Carcinogenicity Reproductive toxicity Not classified.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. **Aspiration hazard**

Mixture versus substance

information

No information available.

Not available. Other information

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

Not available.



LUB HEAVY DUTY + Product :

Code: C31009-NTN Version: 2.6 Revision: 14-May-2019

12.3. Bioaccumulative

potential

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

Mobility in general The product is immiscible with water and will spread on the water surface.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture. Not available.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code Unused product: 16 03 06

Waste codes should be assigned by the user based on the application for which the product was

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge

methods/information into drains, water courses or onto the ground.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Disposal

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations **Authorisations** Restrictions on use

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

National regulations Follow national regulation on the protection of workers from the risks of exposure to carcinogens

and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.





Product: LUB HEAVY DUTY +

SECTION 16: Other information

List of abbreviations Not available. **References** Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product. NTN-SNR ROULEMENTS cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.