

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)

HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
--

1.1. Product identifier

Product name	HIGH TEMP MP
Number	
Substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lubricating grease.
-----------------	---------------------

1.3. Details of the supplier of the safety data sheet

Supplier	NTN-SNR ROULEMENTS 1, rue des Usines - BP 2017 74000 ANNECY France Tel : +33 (0)4 50 65 30 00 Fax : +33 (0)4 50 65 32 91
----------	--

For further information, please contact:

Contact Point	Laboratory Service NTN SNR Roulements
E-mail Address	fds@ntn-snr.fr

1.4. Emergency telephone number

Emergency Tel. (Office hours) +33 (0)4 50 65 97 55
Emergency Tel. (France) ORFILA (INRS) +33 (0)1 45 42 59 59
Emergency Tel. (EU): 112 (Available 24 hours a day)

Section 2: HAZARDS IDENTIFICATION
--

2.1. Classification of the substance or mixture



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

REGULATION (EC) No 1272/2008 ***

For the full text of the H-Statements mentioned in this Section, see Section 2.2. ***

Classification***

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008***

2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008***

Signal word

None***

Hazard Statements ***

None***

Precautionary statements

None***

Supplemental Hazard Statements

EUH210 - Safety data sheet available on request***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Chemical nature

The product is made from synthetic base oils.***

Hazardous components

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Reg. 1272/2008)
A mixture of: 3,3'-dicyclohexyl-1,1'-methyl enebis(4,1-phenylene)diurea ; 3-cyclohexyl-1-(4-(4-(3-octad ecylureido)benzyl)phenyl)ure a; 3,3'-dioctadecyl-1,1'-methyl enebis(4,1-phenylene)diurea* **	-	01-0000015606-69** *	^	5-<10	Aquatic Chronic 4 (H413)
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives ***	421-820-9***	no data available	192268-65-8	1-<2.5	Repr. 2 (H361d) Aquatic Chronic 4 (H413)



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.***

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.***
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.***
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.***
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.***

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified based on available data.***
Skin contact	Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***
Inhalation	Not classified based on available data.***
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.***

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.***

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO₂ and SO₃) and Hydrogen sulphide H₂S, Phosphorous oxides, Nitrogen oxides (NO_x), Mercaptans.***

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.***

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.***

6.3. Methods and material for containment and cleaning up

Methods for containment If necessary dike the product with dry earth, sand or similar non-combustible materials.***

Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

7.1. Precautions for safe handling

Advice on safe handling	For personal protection see section 8. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing.***
Prevention of fire and explosion	Take precautionary measures against static discharges.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Provide regular cleaning of equipment, work area and clothing. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.***
Materials to avoid	Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)	Please refer to Technical Data Sheet for further information.***
------------------------	--

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined)
Legend	See section 16

Derived No Effect Level (DNEL) ***

DNEL Worker (Industrial/Professional)***

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** 192268-65-8			0.590 mg/m ³ (inhalation) 0.170 mg/kg bw/day (dermal)	

DNEL Consumer***

Chemical Name	Short term, systemic	Short term, local effects	Long term, systemic	Long term, local effects
---------------	----------------------	---------------------------	---------------------	--------------------------



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

	effects	effects
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** 192268-65-8		0.140 mg/m ³ (inhalation) 0.080 mg/kg bw/day (dermal) 0.080 mg/kg bw/day (oral)

Predicted No Effect Concentration (PNEC) ***

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
A mixture of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-p henylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-p henylene)diurea*** ^	0.001 mg/l (fw) 0.0001 mg/l (mw) 0.010 mg/l (ir)***	2.8 mg/kg sediment dw (fw) 0.280 mg/kg sediment dw (mw)***	0.560 mg/kg soil dw ***		1 mg/l ***	
A mixture of: triphenylthiophosph ate and tertiary butylated phenyl derivatives *** 192268-65-8	0.000440 mg/l (fw) 0.000044 mg/l (mw)	8.99 - 2 250 mg/kg sediment dw (fw) 0.899 - 225 mg/kg sediment dw (mw)	1.79 mg/kg soil dw		32 mg/l	

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.***

Personal protective equipment

General Information

Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product AS DELIVERED. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.***

Respiratory protection

None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***

Eye protection

If splashes are likely to occur, wear: Safety glasses with side-shields. EN 166.***

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.***



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Hand protection

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.***

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Colour		light yellow***	
Physical state @20°C		solid***	
Odour		characteristic***	
Odour Threshold		No information available***	
<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable***	
Melting point/range		No information available	
Boiling point/boiling range		Not applicable***	
Flash point		Not applicable***	
Evaporation rate		No information available***	
Flammability Limits in Air		***	
Upper ***		No information available***	***
Lower ***		No information available***	***
Vapour pressure		No information available***	
Vapour density		No information available***	
Relative density	0.900***	@ 20 °C***	
Density	900*** kg/m ³ ***	@ 20 °C***	
Water solubility		Insoluble***	
Solubility in other solvents		No information available***	
logPow		No information available***	
Autoignition temperature		No information available***	
Decomposition temperature		No information available	
Viscosity, kinematic ***	***	Not applicable ***	
Explosive properties	Not explosive***		
Oxidising properties	Not applicable***		
Possibility of hazardous reactions	None under normal processing***		



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

9.2. Other information

Freezing point No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information None under normal processing.***

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.***

10.4. Conditions to avoid

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.***

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.***

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Phosphorous oxides, Nitrogen oxides (NOx), Mercaptans. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S.***

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***

Eye contact . Not classified based on available data.***

Inhalation . Not classified based on available data.***



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Ingestion . Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***

ATEmix (inhalation-dust/mist) 49.70*** mg/l***
ATEmix (inhalation-vapour) 243.00*** mg/l***

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives ***	LD50 >2000 mg/kg bw (rat)	LD50 >2000 mg/kg bw (rat)	

Sensitisation

Sensitisation Not classified based on available data.***

Specific effects

Carcinogenicity Not classified based on available data.***

Mutagenicity ***

Germ cell mutagenicity Not classified based on available data.***

Reproductive toxicity Not classified based on available data. Contains toxic substance(s) listed as toxic to reproduction.***

Chemical Name	European Union
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** 192268-65-8	Repr. 2 (H361d)

Repeated dose toxicity

Target Organ Effects (STOT)

Specific target organ systemic toxicity (single exposure) Not classified based on available data.***

Specific target organ toxicity - repeated exposure Not classified based on available data.***

Aspiration toxicity Not classified based on available data.***

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).***

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified based on available data.***

Acute aquatic toxicity - Product Information***



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

No information available.***

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
A mixture of: 3,3'-dicyclohexyl-1,1'-methyl enebis(4,1-phenylene)diurea ; 3-cyclohexyl-1-(4-(4-(3-octad ecylureido)benzyl)phenyl)ure a; 3,3'-dioctadecyl-1,1'-methyl nebis(4,1-phenylene)diurea* ** ^				EC50(3h) 100 mg/l***
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** 192268-65-8	EC50(72h) >100 mg/l (Scenedesmus subspicatus-Guideline ODCE 201)	EC50(48h) >100 mg/l (Daphnia magna-Guideline ODCE 202)	LC50(96h) >100 mg/l (Brachydanio rerio-Guideline ODCE 203)	EC20(3h) 403 mg/l (guideline ODCE 209 statique- boue activée)

Chronic aquatic toxicity - Product Information

No information available.***

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** 192268-65-8		NOEC(21d) >= 5,5 mg/l (Daphnia magna (Guideline ODCE 211, semi-statique)		

Effects on terrestrial organisms

No information available.***

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.***

logPow

No information available***

Component Information



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Chemical Name	log Pow
A mixture of: triphenylthiophosphate and tertiary butylated phenyl derivatives *** - 192268-65-8	4.8-8.8 @ 22 °C and pH 6.7

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product has no soil mobility.***
Air	Loss by evaporation is limited.***
Water	The product is insoluble and floats on water.***

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.***

12.6. Other adverse effects

General Information No information available.***

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste.***
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.***
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 12 01 12.***
Other information	Refer to section 8 for safety and protective measures for disposal personnel.***

Section 14: TRANSPORT INFORMATION

<u>ADR/RID</u>	not regulated
<u>IMDG/IMO</u>	not regulated
<u>ICAO/IATA</u>	not regulated
<u>ADN</u>	not regulated



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available***

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available***

15.3. National regulatory information

The United Kingdom

- Avoid exceeding occupational exposure limits (see section 8).

Ireland

- Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H361d - Suspected of damaging the unborn child

H413 - May cause long lasting harmful effects to aquatic life***

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration



HIGH TEMP MP

Revision Date: 2018-06-22

Version 4.04

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2018-06-22

Revision Note *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet