

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture LUB VIB

Registration number -

Synonyms None.

Product code C32001-NTN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricant grease

Uses advised against Not available.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name NTN-SNR ROULEMENTS

Address 1, rue des Usines
BP 2017
74000 ANNECY
FR

Division

Telephone Tel.: +33 (0)4 50 65 30 00
Fax: +33 (0)4 50 65 32 91

e-mail fds@ntn-snr.fr

Contact person Service Laboratoire NTN-SNR Roulements

1.4. Emergency telephone number Emergency Tel. (Office hours) +33 (0)4 50 65 97 55

Emergency Tel. (France) ORFILA (INRS)
+ 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture is not classified as hazardous according to the criteria for classification of the Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information

EUH208 - Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

2.3. Other hazards

This mixture does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	1 - < 3	85940-28-9 288-917-4	01-2119521201-61-XXXX	-	
Classification:	Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Chronic 2;H411				
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	< 1	N/D 939-603-7	01-2119978241-36-XXXX	-	
Classification:	Skin Sens. 1B;H317				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. "-" = Not available or this substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8. The full text for all H-statements is displayed in section 16.

- Contains : Mineral oil
DMSO Extract < 3% according to IP 346 Method.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

Will burn if involved in a fire. No unusual fire or explosion hazards noted.

Product :	LUB VIB	
Code : C32001-NTN	Version : 2.2	Revision : 08-April-2021

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry chemicals. Carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture See also section 10.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling To avoid thermal decomposition, do not overheat. Avoid prolonged or repeated contact with skin. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices. Adequate ventilation should be provided so that exposure limits are not exceeded.

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Occupational Exposure Limits are not relevant to the current physical form of the product.

8.2. Exposure controls

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General information

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Chemical goggles are recommended.

Skin protection

- Hand protection

Use protective gloves made of: Nitrile. Polyvinyl chloride (PVC).

- Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Solid.

Form

Solid. Paste.

Colour

Blonde.

Odour

Mild.

Odour threshold

Not available.

pH

Not applicable.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

> 200.0 °C (> 392.0 °F) Cleveland open cup Base oil

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density

0.9

Relative density temperature

20 °C (68 °F)

Solubility(ies)

Solubility (water)

Insoluble

Partition coefficient (n-octanol/water)

Not available.

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

Auto-ignition temperature > 250 °C (> 482 °F)

Decomposition temperature Not available.

Viscosity Not applicable.

Viscosity temperature 40 °C (104 °F)

Explosive properties Not available.

Oxidising properties Not oxidising.

9.2. Other information

Dropping point 190 °C (374 °F)

Kinematic viscosity Not applicable.

Kinematic viscosity temperature 40 °C (104 °F)

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. Eliminate all sources of ignition.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products Carbon oxides. Sulphur compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be irritating to the eyes, nose, throat, or lungs. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhoea.

Skin corrosion/irritation Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Serious eye damage/eye irritation Not classified.

Respiratory sensitisation Not classified.

Skin sensitisation Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

Reproductive toxicity Not classified.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not classified.

Mixture versus substance information No information available.

Other information Not available.

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

SECTION 12: Ecological information

12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
Mobility in general	The product is immiscible with water and will spread on the water surface.
12.5. Results of PBT and vPvB assessment	This mixture does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	Waste codes should be assigned by the user based on the application for which the product was used. Unused product : 16 03 06
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 CAS: Chemical Abstract Service.
 CEN: European Committee for Standardization.
 IATA: International Air Transport Association.
 IBC: Intermediate Bulk Container.
 IMDG: International Maritime Dangerous Goods.
 MARPOL: International Convention for the Prevention of Pollution from Ships.

Product :

LUB VIB

Code : C32001-NTN

Version : 2.2

Revision : 08-April-2021

PBT: Persistent, bioaccumulative, toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TWA: Time Weighted Average.
vPvB: Very persistent and very bioaccumulative.
Not available.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculator methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

NTN-SNR ROULEMENTS cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.